

Figure 10. Estimated yearly natural production and in river adult escapement of Clear Creek fall-run Chinook salmon. = data was not available for 1952, 1961, 1970-1975, 1979, 1980, 1983. 1953 – 1966 and 1992 - 2010 numbers are from CDFG Grand Tab (February 2, 2011). Baseline numbers (1967 - 1991) are from Mills and Fisher (CDFG, 1994).

DRAFT 4 - 18 - 11 revised 6 - 13 - 11



Figure 11. Estimated yearly natural production and in river adult escapement of Cottonwood Creek fall-run Chinook salmon. ▭ = data was not available for 1952, 1970 - 1975, 1979 - 1980 and 1993 - 2005. 1952 - 1966 and 1992 - 2010 numbers are from CDFG Grand Tab (February 2, 2011). Baseline numbers (1967 - 1991) are from Mills and Fisher (CDFG, 1994).

DRAFT 4 - 18 - 11 revised 6 - 13 - 11



Figure 12. Estimated yearly natural production and in river escapement of Cow Creek adult fall-run Chinook salmon. = data was not available for 1952, 1961, 1963, 1970 - 1975, 1977 - 1983, and 1992 - 2005. 1952 – 1966 and 1992-2010 numbers are from CDFG Grand Tab (February 2, 2011). Baseline numbers (1967 - 1991) are from Mills and Fisher (CDFG, 1994).

DRAFT 4 - 18 - 11 revised 6 - 13 - 11



Figure 13. Estimated yearly natural production and in river escapement of Battle Creek adult fall-run Chinook salmon. 1952 - 1966 and 1992 - 2010 numbers are from CDFG Grand Tab (February 2, 2011). Baseline numbers (1967 - 1991) are from Mills and Fisher (CDFG, 1994).

DRAFT 4 - 18 - 11 revised 6 - 13 - 11



Figure 14. Estimated yearly natural production calculated from hatchery returns (in river returns were available starting in 2000) and hatchery returns of Battle Creek adult late-fall-run Chinook salmon. 1992 - 2010 numbers are from CDFG Grand Tab (February 2, 2011). = data was not available for 1952-1968. Baseline numbers (1967 - 1991) are from Mills and Fisher (CDFG, 1994).

DRAFT 4 - 18 - 11 revised 6 - 13 - 11



Figure 15. Estimated yearly natural production and in river escapement of Paynes Creek adult fall-run Chinook salmon. = data was not available for 1952 - 1964, 1967 - 1968, 1970 - 1981, and 1990 - 2010 1965-1966 numbers are from CDFG Grand Tab (February 2, 2011). Baseline numbers (1967 - 1991) are from Mills and Fisher (CDFG, 1994).

DRAFT 4 - 18 - 11 revised 6 - 13 - 11



Figure 16. Estimated yearly natural production and in river escapement of Antelope Creek adult fall-run Chinook salmon. = data was not available for 1952, 1959, 1961, 1978 - 1980, 1987, 1990, 1991, and 1993 – 2010. 1952 - 1966 and 1992 - 2010 numbers are from CDFG Grand Tab (February 2, 2011). Baseline numbers (1967 - 1991) are from Mills and Fisher (CDFG, 1994).

DRAFT 4 - 18 - 11 revised 6 - 13 - 11



Figure 17. Estimated yearly natural production and in river escapement of Deer Creek adult fall-run Chinook salmon. = data was not available for 1955, 1961, 1990 - 1992, 1995, 1996, and 1999 - 2003. 1952 - 1966 and 1992 - 2010 numbers are from CDFG Grand Tab (February 2, 2011). Baseline numbers (1967 - 1991) are from Mills and Fisher (CDFG, 1994).

DRAFT 4 - 18 - 11 revised 6 - 13 - 11



Figure 18. Estimated yearly natural production and in river escapement of Deer Creek adult spring-run Chinook salmon. ▭ = data was not available for 1952 - 1962, 1965 - 1969, 1977, 1979, 1984, and 1988. 1952 - 1966, and 1992 - 2010 numbers are from CDFG Grand Tab (February 2, 2011). Baseline numbers (1967 - 1991) are from Mills and Fisher (CDFG, 1994).



Figure 19. Estimated yearly natural production and in river escapement of Mill Creek adult fall-run Chinook salmon. = data was not available for 1990, 1995 - 1996, and 1999 - 2001. 1952 -1966 and 1992 – 2010 numbers are from CDFG Grand Tab (February 2, 2011). Baseline numbers (1967 – 1991) are from Mills and Fisher (CDFG, 1994).